# Set up Popup Blocker in Google Chrome and Internet Explorer

Registrar's Office : KMUTT

#### Set up Popup Blocker in Google Chrome

1. Click browser Google Chrome in Figure 1.



Figure 1

But Icon Google Chrome each of User may appear different. You can check out below:

1.1 Desktop in Figure 2



Figure 2



1.2 Menu Start >> Program / All Program in Figure 3

Figure 3

#### Then select Google Chrome in Figure 4



2. Setting button at the top right of the Menu Bar in Figure 5. Then select "Setting"



Figure 5

#### 3. Select "Advance Setting" in Figure 6

Customize fonts Page zoom 100%	•
Page zoom 100%	
	*
Search engine	
Search engine used in the address bar Google	*
Manage search engines	•
Default browser	
Google Chrome is your default browser	
On startup	
O Open the New Tab page	
O Continue where you left off	
Open a specific page or set of pages	
พ <sup>ลั</sup> มจธ มหาวิทยาลัยเทคโนโลยีพระจอมเกล้าธนบุรี http://www2.kmutt.ac.th/	*
Add a new page	
Use current pages	

4. Topics Privacy and security select "Site settings" in Figure 7

Advanced	
rivacy and security	
Sync and Google services More settings that relate to privacy, security, and data collection	۶
Allow Chrome sign-in By turning this off, you can sign in to Google sites like Gmail without signing in to Chrome	-
Send a "Do Not Track" request with your browsing traffic	
Allow sites to check if you have payment methods saved	-
Preload pages for faster browsing and searching Uses cookies to remember your preferences, even if you don't visit those pages	-
Manage certificates Manage HTTPS/SSL certificates and settings	
Site Settings Control what information websites can use and what content they can show you	
Clear browsing data Clear history, cookies, cache, and more	•

Figure 7

5. Topics Permission select Pop-up and redirects in Figure 8

	Q Search settings			
	Permissions			
	Cookies Allow sites to save and read cookie data	•		
	Location     Ask before accessing	•		
	Camera Ask before accessing	•		
	Microphone     Ask before accessing	•		
	Ask before sending	•		
	<> JavaScript Allowed	•		
	Flash Ask first	•		
	Images Show all	•		
$\langle$	Pop-ups and redirects Allowed		5	

Q Search settings	
← Pop-ups and redirects	Q Search
Blocked (recommended)	
Block	Add
No sites added	
Allow	Add
S http://10.1.126.12:9080	► E

6. Topics Blocked (recommended) select button in Figure 9



Q Search settings	
Pop-ups and redirects	Q Search
Allowed	
Block	bbA
No sites added	
Allow	Add
http://10.1.126.12:9080	▶



When implementation of all steps, to be able to log in as ACADEMIC INFORMATION SYSTEM (NewAcis) usual.

## <u>Set up Popup Blocker ใน Internet Explorer</u>

1. Click เลือก Browser Internet Explorer ดังรูปที่ 1



รูปที่ 1

แต่ Icon Internet Explorer ของ User แต่ละเครื่องอาจจะปรากฏไม่เหมือนกัน สามารถตรวจสอบได้ที่

1.1 Desktop ตามรูปที่ 2



รูปที่ 2



1.2 Menu Start >> เลือก Program หรือ All Program ตามรูปที่ 3

รูปที่ 3

## จากนั้นเลือก Internet Explorer ตามรูปที่ 4



รูปที่ 4

### 2. คลิกเมนู Tools ที่แถบเมนูบาร์ จากนั้นเลือก Pop-up Blocker >> เลือก Turn off Pop-up Blocker ดังรูปที่ 5



รูปที่ 5

 เข้าเมนูตามข้อ 2. อีกครั้ง เพื่อตรวจสอบดูว่า ถ้าเลือก Pop-up Blocker เมนูย่อยจะต้อง เปลี่ยนเป็น Turn on Pop-up Blocker จึงจะสามารถเข้าใช้ระบบสารสนเทศเพื่อการบริหาร การศึกษา (New ACIS) ได้ตามปกติ หากยังไม่เปลี่ยนให้กลับไปทำตามขั้นตอนข้อที่ 2. อีกครั้ง



รูปที่ 6